PAYMENT KIOSK

10



ONLINE PAYMENT

and they

1005-10715

_CM-Z459



QR code



CREDIT CARD E-TICKET

ASUS MAAS

請輕觸螢幕 進行操作

Image: Image:

1 Hallmann

Providing multiple payment methods offers flexibility to users, allowing them to choose the option that is most convenient or preferred for them.

FUNCTION



PAYMENT KIOSK AM-C-02A(AC) / AM-C-02B(DC)



MULTIPLE PAYMENT METHODS Including online payment, QR code, credit card and e-Ticket.

SPECIFICATION



PAYMENT KIOSK AM-C-02A(AC) / AM-C-02B(DC)

SIZE	AM-C-02A(AC)	AM-C-02B(DC)		
Dimension (WxDxH)	32 X 26 X 145 cm			
ELECTRICAL				
AC Input Rating	AC 90~240V, 50 / 60Hz			
DC Input Rating	DC +40 ~ +50V			
Network Interface	4G LTE Cat.4			
ENVIRONMENT				
Operation Temperature	-20°C ~ +70°C			
Operation Humidity	10% ~ 95% relative humidity, non-condensing			
DISPLAY PANEL				
Screen Size	10.1 inch			
Resolution	1920 x 1080 pix			
Brightness	1000 nits			
Diverse Payment: QR Code	Line Pay, Easy Wallet, Taiwan Pay, JKOPAY, E-Invoice Carrie			
Diverse Payment: NFC	EasyCard, iPass, Credit Card(VISA \ Master \ JBC)			
Input	PCAP multi-touch			

HARDWARE

	ITEM	DESCRIPTION	AM-C-02A(AC)	AM-C-02B(DC)
STANDARD	4G LTE Network Access	4G LTE internet access.	_	V
	10" LCD Screen	10" colored LED display with touch input.	V	v
	Key-Based Locker For Maintenance	Key-based locker for maintenance.	V	v
	Battery Level Detection	Battery level detection.	_	v
	DC Battery Power Supply	Gogoro battery DC power supply.	_	v
	AC Power Supply	AC power supply.	V	_
	Baked Enamel Casing		V	v
OPTIONAL	Enclosure Wrapping	The casing can be customized with patterns according to requirements.	Ø	O

SOFTWARE

	ITEM	DESCRIPTION	AM-C-02A(AC)	AM-C-02B(DC)
STANDARD	Device API	Integration of the device with customer systems via API.	v	v
	Kiosk API	Device health, fee inquiry, payment results.	v	V
OPTIONAL	OTA Updates	Over-the-air firmware updates.	O	O
	Parking Management System (Off-Street Parking-Lots) - Payment Feature - Kiosk Payment	Kiosk for checking and paying parking fees.	Ø	O
	Advertising Management System	Manage Ad content on devices.	O	0